

# **EXHIBIT 29**

**Non-Accused Command Modes and Prompts Supported  
in Arista EOS Version 4.15.3F**

<b>Mode</b>	<b>Exemplary Prompt</b>
Ethernet Interface Configuration Mode	(config-if-ET15)#
VLAN Interface Configuration Mode	(config-if-Vl24)#
Port Channel Interface Configuration Mode	(config-if-Po4)#
Management Interface Configuration Mode	(config-if-Ma1)#
ACL Configuration Mode	(config-acl-listname)#
OSPF Configuration Mode	(config-router-ospf)#
BGP Configuration Mode	(config-router-bgp)#
Mgmt-xmpp Configuration Mode	(config-mgmt-xmpp)#
Mgmt-console Command Mode	(config-mgmt-console)#
Mgmt-ssh Configuration Mode	(config-mgmt-ssh)#
Mgmt-telnet Command Mode	(config-mgmt-telnet)#
Mgmt-API Configuration Mode	(config-mgmt-api-http-cmds)#
Mgmt-Security Configuration Mode	(config-mgmt-security)#
Mgmt-SSH-Tunnel Command Mode	(config-mgmt-ssh-tunnel-Test)#
Mgmt-Defaults Command Mode	(config-mgmt-defaults)#
Event-Handler Configuration Mode	(config-handler-Eth5)#

Role Configuration Mode	(config-mode-sysuser)#
Server-Group-RADIUS Configuration Mode	(config-sg-radius-RAD-SV1)#
Server-Group-TACACS+ Configuration Mode	(config-sg-tacacs+-TAC-GR)#
Redundancy Configuration Mode	(config-redundancy)#
Load-balance-profile Configuration Mode	(config-load-balance-profile-LB-1)#
MLAG Configuration Mode	(config-mlag)#
Link-flap Configuration	(config-link-flap)#